

**OPEN HOPPER**

**ART. 18002**

Open hopper

Material: first rate linear polyethylene

Dimensions: Height 85 cm

Length 98 cm

Width 74 cm

Lower diameter 39 cm



**RUBBISH CHUTE**

**ART. 18000**

Rubbish chutes

Material: first rate linear polyethylene

Dimensions: upper external diameter 59 cm

Upper internal diameter 50 cm

Downer diameter 30 cm

Height 108 cm

Weight: 9,5 Kg



**WINDOW FIXING FRAME**

**ART. 17600**

Galvanized steel frame to

fix on windows

or on roof projections.

(on request)



**SICURTUBO**

**ART. 16070**



**TUBOSTOP**

**ART. 16071**



**SICURBASE**

**ART. 16072**



**TUBOSTIL**

**ART. 16073**



# Accessories

scaffolding | props | wheelbarrows

## ADJUSTABLE TRESTLE FOR FLOOR

### ART. 8000

800 cm min. height,  
1500 cm max height

### ART. 8004

110 cm min. height,  
190 cm max height

### ART. 8002

1500 cm min. height,  
2700 cm max height



## ADJUSTABLE TRESTLE FOR FLOOR

### ART. 8010

Adjustable trestle for floor 2100 cm min.  
width, 3900 max width 800 cm min. height,  
1400 cm max height



## NETTINGS

### ART. 16040

Green netting with weaving in polyethylene  
monoyarn. Resistance to brake: 200 kg/m<sup>2</sup>



## GALVANIZED CONSTRUCTION BARRIERS

Construction site barriers with system  
interlocking fastening  
Tabular frame Ø32 mm, height 1,1 mt

### ART. 18321

Length mt 2

### ART. 18322

Length mt 2,5



### BOTTOM-OPENING SKIPS

This products are all ratified and are supplied with a conformity-declaration and user manual

- ART. 14421** Litri 200     **ART. 14425** Litri 500
- ART. 14422** Litri 250     **ART. 14428** Litri 1000
- ART. 14423** Litri 300
- ART. 14424** Litri 400



### TIPPER GRABS

This products are all ratified and are supplied with a conformity-declaration and user manual

- ART. 14432** Litri 300
- ART. 14433** Litri 400
- ART. 14434** Litri 500



### ROOF-PROTECTION SYSTEM

- ART. 15060**  
System for slabs and balcony,  
screw-blockage system, galvanized



### LEVEL MAKERS

Metallic level maker epoxy coated to realize rear-end lines for the laying of cement blocks, expanded clay and bricks

- ART. 16030**  
Level maker with pedal cm 210/320
- ART. 16031**  
Level maker with pedal cm 220/400
- ART. 16032**  
Level maker without pedal cm 210/320
- ART. 16033**  
Level maker without pedal cm 220/400

